

## MK SOLV. 13

CHEMICAL  
NATURE:

KETONE

COLOUR:

COLOURLESS

SOLID CONTENT:

0%

VISCOSITY:

< 50 MPAS

MK SOLV. 13 is a ketone solvent used for cleaning of the tools and substrates to be bonded.

PROPERTIES	VALUES
CHEMICAL NATURE	MIXTURE OF KETONES
DENSITY AT 20 °C	0,80 ± 0,01 g/ml
SOLID CONTENT	< 0%
VISCOSITY	< 50 mPa.s
COLOUR	Colourless
FLAMMABILITY	Easily flammable
TOXICITY	Irritating to eyes and respiratory system

### Application & Advantages



- Solvent used for the cleaning of compact plastic materials: rigid and flexible PVC, PU, Polyamide.
- Degreaser for metal, galvanized and painted surfaces.
- It's particularly used for the cleaning of the plastic materials with low surface energy.*
- It's not used for plastic materials with high surface energy.
- It's not used for polystyrene foam.
- It can also be used as diluent for solvent based adhesives MK 1400-N, MK 1520-N and MK 3353.

### Application



- Apply the product on the support with a clean, dry and fluff free rag. Wait for the evaporation of the solvents, from 30 to 60 seconds after application.

### Storage



- Store the product in a cool and dry place.
- Shelf life: 12 months in its original tightly closed packaging in a well ventilated area (+ 18/+25°C)
- Packaging: 20 LT. DRUMS

### Precautions for use



Mastikol® products are generally quite harmless to handle provided that certain precautions are normally taken when handling chemicals.

Avoid contact between substances and foodstuffs or food tools, and take all necessary precautions to avoid contact with the skin.

The wearing of impervious rubber or plastic gloves will normally be necessary; likewise the use of eye protection.

The skin should be thoroughly cleaned at the end of each working period by washing with soap and warm water. The use of solvents has to be avoided. Disposable paper should be used to dry the skin.

Adequate ventilation of the working area is recommended.

These precautions are described in greater detail in the safety data sheet for the individual products and should be referred to for further information.

### Notes



The information and, in particular, the recommendations relating to the application and end-use of Mastikol® products, are given in good faith based on Mastikol®'s current knowledge and experience of the products when properly stored, handled and applied under normal conditions.

Mastikol® cannot assume responsibility for the results obtained by others over whose methods we have no control.

It is the user's responsibility to determine suitability for the user's purpose of any production method mentioned herein and to adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the handling and use thereof.

Mastikol® specifically disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Mastikol®'s products. Mastikol® specifically disclaims any liability for consequential or incidental damages of any kind, including lost profits. Users should always refer to the most recent issue of the technical data sheet for the product concerned, copies of which will be supplied on request.